

PL-TR-96-2156

## OBSERVATIONS OF T-PHASE ARRIVALS AT PT SUR AND WAKE ISLAND

Catherine de Groot-Hedlin  
John Orcutt

University of California/San Diego  
Scripps Institution of Oceanography  
La Jolla, CA 92093

15 March 1996

Scientific Report No. 1

19961104 045

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DTIC QUALITY INSPECTED  
DTIC QUALITY INSPECTED




DEPARTMENT OF ENERGY  
Office of Non-Proliferation  
and National Security  
WASHINGTON, DC 20585



PHILLIPS LABORATORY  
Directorate of Geophysics  
AIR FORCE MATERIEL COMMAND  
HANSCOM AFB, MA 01731-3010

# DISCLAIMER NOTICE




THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.


SPONSORED BY  
Department of Energy  
Office of Non-Proliferation and National Security

MONITORED BY  
Phillips Laboratory  
CONTRACT No. F19628-95-K-0011

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either express or implied, of the Air Force or U.S. Government.

This technical report has been reviewed and is approved for publication.

  
JAMES F. LEWKOWICZ  
Contract Manager  
Earth Sciences Division

  
JAMES F. LEWKOWICZ  
Director  
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IM, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 15 March 1996		3. REPORT TYPE AND DATES COVERED Scientific Report No. 1
4. TITLE AND SUBTITLE Observations of T-Phase Arrivals at Pt. Sur and Wake Island			5. FUNDING NUMBERS PE 69120H PR DENN TA GM WU AV  Contract F19628-95-K-0011	
6. AUTHOR(S) Catherine deGroot-Hedlin John Orcutt				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California/San Diego Scripps Institution of Oceanography IGPP 0225 La Jolla, CA 92093			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Phillips Laboratory 29 Randolph Road Hanscom AFB, MA 01731-3010  <u>Contract Manager: James Lewkowicz/GPE</u>			10. SPONSORING/MONITORING AGENCY REPORT NUMBER  PL-TR-96-2156	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT  Approved for Public Release; Distribution Unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  We have assembled a large suite of T-phase observations recorded on hydrophones located at Point Sur and Wake Island, in an attempt to understand how acoustic energy from underwater earthquakes is coupled to the sound channel and how the sound propagates from source to receiver. The events cover a wide range of locations in the North Pacific. We find that T-phases observable at Point Sur are generated only in a limited number of geographical regions, the Aleutian Islands and Kodiak Island regions, south of Japan, and the southern portion of the Kuril Islands region. Too few records have been assembled to date for Wake Island to discern any pattern in the locations of observable T-phases. A signal to noise (SNR) measure was determined for each event. We found that there was no clear pattern in the SNR vs. magnitude when all the events were examined together. We narrowed the region of study to a small cluster of events in the Andreof Island region of the Aleutian Island chain in order to eliminate variables such as source mechanism, transmission path, and event depth. For this limited data set, we found that the SNR as observed at Pt. Sur was more strongly dependent upon event magnitude, however, there was still a considerable degree of scatter. This scatter is probably due to near source effects, such as the slope of the seafloor in the region of the events.				
14. SUBJECT TERMS Hydroacoustic propagation T-phases Energy coupling			15. NUMBER OF PAGES 16	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT  Unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE  Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT  Unclassified
				20. LIMITATION OF ABSTRACT  SAR

## CONTENTS

<b>Introduction</b>	<b>1</b>
<b>Data Analysis</b>	<b>1</b>
<b>Conclusions</b>	<b>8</b>


## **INTRODUCTION**

The objective of our research is to analyze hydroacoustic signals from oceanic earthquakes recorded by hydrophones and hydrophone arrays, in order to understand the coupling of energy to the SOFAR channel and the propagation of acoustic energy from source to receiver. The generation of detectable hydroacoustic phases for any underwater event depends on a complicated combination of source effects, such as event magnitude and depth and source mechanism; near-source effects, such as the slope and depth of the land/ocean boundary near the source; and path effects, i.e. whether the event lies within a shadow zone for a particular receiver, and source to receiver distance. We plan to integrate theoretical predications of propagation effects with observed acoustic arrivals. Goals include determining the efficiency of coupling of acoustic energy from earthquake sources into the sound channel, and determining the effects of variations in bathymetry and temperature profiles along the travel path on the received signals. This requires the assembly of a suite of hydroacoustic array data from a large number of underwater seismic events, in order to obtain optimal azimuthal coverage from source to receiver, as well as a wide range of source depths and source parameters. In this report, we examine a suite of hydroacoustic data from the North Pacific as recorded by a hydrophone located near Point Sur, and discuss preliminary results from an analysis of T-phase signals recorded near Wake Island.


## **DATA ANALYSIS**

We determined signal-to-noise ratios (SNRs) for a suite of 96 recordings at Point Sur and 35 recordings at Wake Island for events in the North Pacific. The recordings were obtained from the Center for Monitoring Research (CMR) for an 8-10 minute band about each expected T-phase arrival. Event parameters were obtained from the near-real-time Earthquake Bulletin, provided by the National Earthquake Information Service (NEIS). We used only events with location accuracies labelled A(good) or B (fair). In order to quantify signal strength, a signal-to-noise ratio (SNR) measure was determined for each recording as follows. Each trace was de-meant and filtered to 0.1 - 0.5 Hz since most of the T-phases are observable only at the lowest frequencies. For this filtered trace, the signal variance was determined over each 30 second band, with steps of 2 seconds between bands. The square root of the maximum variance divided by the minimum variance is taken as the signal-to-noise ratio. In general, signals were observable for events with calculated SNRs of greater than about 1.6 at Pt. Sur and approximately 1.3 at Wake Island. An example of the calculation of the SNR is shown in Figure 1.

In general, it was found that events were observed at Wake Island for a wider range of event locations than at Pt. Sur. We attribute this to the lower noise levels at Wake, although to date, we do not have calibration information for either hydrophone so we can't confirm this. Furthermore, T-phase arrivals tend to have longer duration at Wake than the corresponding arrivals at Pt. Sur. An example of this is shown in Figure 2, which compares low-pass filtered traces recorded at both Wake and Pt Sur from an event located near the Andreof Islands, in the Aleutian chain. The source-receiver distance is approximately 3900km at Wake and 4500km at Pt. Sur, yet the T-phase arrival is nearly twice as long at Wake as at Pt. Sur. This is probably due to bathymetric interaction along the propagation path, resulting in the scattering of the signal. Synthetic responses for the given travel path have yet to be computed to determine whether bathymetric interaction is the cause of the lengthening of the T-phase arrival. The differences in the recorded T-phases illustrates the difficulty in determining source mechanism solely from the traces.




**Figure 1.** The method of calculation of the SNR is shown here for a trace recorded at Pt. Sur. The de-meaned trace for the Aleution Island event of April 21, 1996 is shown in the top panel. The trace was filtered to 0.1 to 5 Hz, shown in the center panel. The SNR as a function of time is shown in the bottom panel. The method of calculation of the SNR is outlined in the text. The signal-to-noise ratio for this event was determined to be 5.1.



**Figure 2.** Low pass filtered recordings of T phases generated by an event near the Andreof islands. Note that the length of the T phase arrival at Wake is approximately twice that of Point Sur.







**Figure 3.** The sonogram for the Aleutian Island event of Figure 1.

Figure 3 shows a sonogram for the trace shown in the top panel of Figure 1 (recorded at Pt Sur). The sonogram confirms that the signal is most clearly observable at the lowest frequencies. At higher frequencies the signal is drowned out by the higher noise levels. For the larger SNR events, such as this one, T-phases are observable at frequencies up to 25-30 Hz.

The SNR ratios were calculated for each event within the suite and are shown as a function of geographic location below for observations at Pt. Sur only. The spatial patterns in the SNR indicates that T-phases observable at the Pt Sur hydrophone are generated in a limited number of geographical regions, the Aleutian Islands and Kodiak Island regions, south of Japan, and the southern portion of the Kuril Islands region.




**Figure 4.** The signal-to-noise ratios (SNR) for T-phases of 96 North Pacific events as recorded at the Pt. Sur hydrophone. All events of the North Pacific that have been examined are shown here, including a number of events for which no signal was observable. The symbol size is proportional to the SNR, which varies from 1 (no signal) to 8 (large signal).




**Figure 5.** SNR as a function of distance, event magnitude, and event depth.

In Figure 5, we show the SNRs as a function of each of distance, event magnitude, and event depth. No clear patterns are evident in any of these plots. The biggest surprise is in the plot of SNR vs event depth, in that one would not expect *any* T-phases to be observable for deep events. Instead, at least three events generate observable T-phases, all in the region south of Japan.




**Figure 6.** SNRs for the Andreof Island events.

In order to make more sense of the data, we confined our attention to a cluster of events in the Andreof Island region, within the Aleutian Island chain. The SNRs at Pt. Sur for 43 events to the south of the Aleutian Islands are shown in Figure 6 (events to the north of the Islands and thus in the shadow zone were not included). All but one of the events has a given depth between 28 and 33 km. Source mechanisms for all these effects should be the same, ie due to the subduction of the Pacific plate at the Aleutian trench. Thus, we have eliminated complications due to path effects, source mechanism, and event depth. Even at this small scale, a spatial pattern is evident in the SNRs. The events furthest to the east do not generate T-phases that are detectable at Point Sur.



**Figure 7.** Depth map of the Northeast Pacific showing Andreof Island event locations, including propagation paths for two of the events.

A depth map of the Northeast Pacific showing Andreof Island event locations and geodesic paths for two events is shown in Figure 7. Note that all travel paths follow virtually the same trajectory to Pt. Sur. The solid path is for a magnitude 5.1 event, with SNR of 5.1 at the receiver. The dotted path is for a 5.0 event slightly further to the east with an SNR of 1.4 at the receiver, ie the signal was not observable. In this case, the differences in seismic source to T-phase coupling must be due to near-source effects.



**Figure 8** SNR vs magnitude for the Andreof Island events.

A plot of SNR vs magnitude for the Andreof Island events is shown in Figure 8. This plot indicates that larger T-phases are generated by larger events, as expected. However, there is still considerable scatter, possibly due to near-source effects, as mentioned above.

## **CONCLUSIONS AND FUTURE PLANS**

Examination of a widely distributed set of suboceanic events indicates that T-phases are observable at Point Sur for only a limited number of geographical regions. When all these events are examined together, signal strength cannot be determined simply on the basis of event magnitude, depth, or source-receiver distance. Conversion of seismic energy into acoustic energy transmitted in the ocean waveguide is highly complicated, depending on source effects, near-source effects, and path effects. In order to isolate the effects of event magnitude and near-source bathymetry, we narrowed the study to a cluster of 43 events in the Andreof Island region. We found that the T-phase signal strength was more strongly dependent upon event magnitude. However, the scatter within the SNR/event magnitude relation is attributed to near-source bathymetry. More observations are necessary to confirm the conclusions made here. We have begun to examine data from the Wake Island hydrophone, available through CMR. Future plans include integrating land records with hydrophone records. In particular, we wish to examine T-phase arrivals at various island stations within the Pacific to improve coverage. We intend to numerically model coupling of seismic energy (i.e. sources below the ocean floor) into ocean acoustic energy.

DR. RALPH ALEWINE  
NTPO  
1901 N. MOORE STREET, SUITE 609  
ARLINGTON, VA 22209

LT CMDR ROBIN L. ATKINS  
N874/D  
2000 NAVY PENTAGON, RM 5D580  
WASHINGTON, DC 20350-2000

\* ARTHUR BAGGEROER  
MIT  
ROOM 5-204  
\* CAMBRIDGE, MA 02139

RICHARD BARDZELL  
ACIS  
DCI/ACIS  
WASHINGTON, DC 20505

GERALD S. BARTON  
NOAA  
1825 CONNECTICUT AVE. NW  
WASHINGTON, DC 20235

RICHARD C. BECKMAN  
SANDIA NATIONAL LABORATORY  
DEPT. 5791  
MS 0567, PO BOX 5800  
ALBUQUERQUE, NM 87185-0567

ROBERT BLANFORD  
AFTAC  
1300 N. 17TH STREET  
SUITE 1450  
ARLINGTON, VA 22209-2308

STEVEN BRATT  
NTPO  
1901 N. MOORE STREET, SUITE 609  
ARLINGTON, VA 22209

ERIC BREITFELLER  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-156  
LIVERMORE, CA 94551

LESLIE A. CASEY  
DOE  
1000 INDEPENDENCE AVE. SW  
NN-40  
WASHINGTON, DC 20585-0420

ALBERT J. CHABAI  
SANDIA NATIONAL LABORATORY  
DEPT. 9311  
MS 1159, PO BOX 5800  
ALBUQUERQUE, NM 87185-1159

ERIC P. CHAEL  
SANDIA NATIONAL LABORATORY  
DEPT. 9311  
MS 1159, PO BOX 5800  
ALBUQUERQUE, NM 87185-1159

JOHN P. CLAASSEN  
SANDIA NATIONAL LABORATORY  
DEPT. 5736  
MS 0655, PO BOX 5800  
ALBUQUERQUE, NM 87185-0655

DOUG CLARKE  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-200  
LIVERMORE, CA 94551

DENNIS M. CONLON  
SPAWAR  
PMW 1820C 2451 CRYSTAL DRIVE  
ARLINGTON, VA 22245-5200

ROBERT H. CORBELL  
SANDIA NATIONAL LABORATORY  
DEPT. 5736  
MS 0655, PO BOX 5800  
ALBUQUERQUE, NM 87185-0655

\* CWO LESLIE CRAIG  
OSIA  
300 W. SERVICE ROAD, DULLES  
\* PO BOX 17498  
WASHINGTON, DC 20041-0498

RON CUMMINGS  
C & A  
3941 SOUTH BRISTOL STREET  
SUITE 317  
SANTA ANA, CA 92704

MARVIN D. DANNY  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-205  
LIVERMORE, CA 94551

DR. STANLEY DICKINSON  
AFOSR  
110 DUNCAN AVENUE  
SUITE B115  
BOLLING AFB, WASHINGTON D.C. 20332-001

SEAN DORAN  
ACIS  
DCI/ACIS  
WASHINGTON , DC 20505

GERALD DISPAIN  
SCRIPPS INST. OF OCEANOGRAPHY  
291 ROSECRANS  
SAN DIEGO, CA 92106

MICHAEL W. EDENBURN  
SANDIA NATIONAL LABORATORY  
DEPT. 4115  
MS 0329, PO BOX 5800  
ALBUQUERQUE, NM 87185-0329

JOHN FILSON  
ACIS/TMG/NTT  
ROOM 6T11 NHB  
WASHINGTON, DC 20505

GEORGE V. FISK  
WOODS HOLE  
APPLIED OCEAN PHYSICS &ENGINEERING  
BIGELOW 107B  
WOODS HOLE, MA 02543

FREDERICK E. FOLLOWILL  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-208  
LIVERMORE, CA 94551

CHRIS FOX  
NOAA  
2115 SE OSU DRIVE  
NEWPORT, OR 97364

RADM (RET) THOMAS FOX  
PACIFIC NORTHWEST NATIONAL LABORATORY  
PO BOX 999, MS K6-48  
RICHLAND, WA 99352

CDR MARTHA GILLETTE  
N514F  
2000 NAVY PENTAGON, RM 4D563

DAN N. HAGEDORN  
PACIFIC NORTHWEST NATIONAL LABORATORY  
PO BOX 999, MS K7-34  
RICHLAND, WA 99352

RICHARD C. HANLEN  
PACIFIC NORTHWEST NATIONAL LABORATORY  
PO BOX 999, MS K6-40  
RICHLAND, WA 99352

WILLARD J. HANNON JR.  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-205  
LIVERMORE, CA 94551

DAVID B. HARRIS  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-205  
LIVERMORE, CA 94551

TERRI HAUKE  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-205  
LIVERMORE, CA 94551

PRESTON B. HERRINGTON  
SANDIA NATIONAL LABORATORY  
DEPT. 5736  
MS 0655, PO BOX 5800  
ALBUQUERQUE, NM 87185-0655

LARRY HIMES  
HQ/AFTAC/TTR  
1030 S. HIGHWAY A1A  
PATRICK AFB, FL 32925-3002

W. MARK HODGSON  
LOS ALAMOS NATIONAL LABORATORY  
PO BOX 1663 MS D460  
LOS ALAMOS, NM 87545

KATHARINE KADINSKY-CADE  
PL/GPE  
29 RANDOLPH ROAD  
HANSCom AFB, MA 01731

SHAWN LARSEN  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-208  
LIVERMORE, CA 94551

JAMES F. LEWKOWICZ  
PL/GPE  
29 RANDOLPH ROAD  
HANSCom AFB, MA 01731

LESTER MACHTON  
NOAA  
1825 CONNECTICUT AVE. NW  
WASHINGTON, DC 20235

ED MCDONALD  
NRL  
4555 OVERLOOK AVE. SW  
WASHINGTON, DC 20375-5350

• ED NAWROCKI  
OSD  
OSD/ISP/NSS  
• WASHINGTON, DC 20301-2600

LARRY NG  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-285  
LIVERMORE, CA 94551

WESLEY L. NICHOLSON  
PACIFIC NORTHWEST NATIONAL LABORATORY  
PO BOX 999, MS K6-40  
RICHLAND, WA 99352

CLYDE E. NISHIMURA  
NRL  
4555 OVERLOOK AVE. SW  
WASHINGTON  
DC, 20375-5350

MARSHALL H. ORR  
NRL  
4555 OVERLOOK AVE. SW  
WASHINGTON  
DC, 20375-5350

GREG ORRIS  
NRL  
4555 OVERLOOK AVE. SW  
WASHINGTON  
DC, 20375-5350

DR. FRANK PILOTTE  
HQ/AFTAC/TT  
1030 S. HIGHWAY A1A  
PATRICK AFB, FL 32925-3002

DOUGLAS REVELLE  
LOS ALAMOS NATIONAL LABORATORY  
PO BOX 1663, MS F665  
LOS ALAMOS, NM 87545

MARK E. RICHARDS  
DOE  
1000 INDEPENDENCE AVE. SW  
NN-20  
WASHINGTON, DC 20585-0420

JUDY SCHROEDER  
OSIA  
300 W. SERVICE ROAD, DULLES  
PO BOX 17498  
WASHINGTON, DC 20041-0498

RICH SCHULT  
HQ/AFTAC/TTR  
1030 S. HIGHWAY A1A  
PATRICK AFB, FL 32925-3002

DAVID J. SIMONS  
LOS ALAMOS NATIONAL LABORATORY  
PO BOX 1663, MS D460  
LOS ALAMOS, NM 87545

JOHN SPIESBERGER  
PENN STATE  
512 WALKER BLDG.  
UNIVERSITY PARK, PA 16802

ROBERT SPINDEL  
UNIVERSITY OF WASHINGTON  
1013 NE 40TH STREET  
SEATTLE, WA 98105-6698

BRIAN W. STUMP  
• LOS ALAMOS NATIONAL LABORATORY  
PO BOX 1663, MS C335  
LOS ALAMOS, NM 87545

STEVEN R. TAYLOR  
LOS ALAMOS NATIONAL LABORATORY  
PO BOX 1663, MS C335  
LOS ALAMOS, NM 87545

LAWRENCE TROST  
SANDIA NATIONAL LABORATORY  
DEPT. 4115  
MS 00329, PO BOX 5800  
ALBUQUERQUE, NM 87185-0329

LAWRENCE TURNBULL  
ACIS  
DCI/ACIS  
WASHINGTON, DC 20505



LARRY S. WALKER  
SANDIA NATIONAL LABORATORY  
DEPT. 5704  
MS 0979, PO BOX 5800  
ALBUQUERQUE, NM 87185-0979

JOHN W. WHITE  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-200  
LIVERMORE, CA 94551

JOHN ZUCCA  
LAWRENCE LIVERMORE NATIONAL LABORATORY  
PO BOX 808, MS L-205  
LIVERMORE, CA 94551

DEFENSE TECHNICAL INFORMATION CENTER  
8725 JOHN J. KINGMAN ROAD  
FT BELVOIR, VA 22060-6218 (2 COPIES)

PHILLIPS LABORATORY  
ATTN: XPG  
29 RANDOLPH ROAD  
HANSCOM AFB, MA 01731-3010

PHILLIPS LABORATORY  
ATTN: TSML  
5 WRIGHT STREET  
HANSCOM AFB, MA 01731-3004

THOMAS A. WEAVER  
LOS ALAMOS NATIONAL LABORATORY  
PO BOX 1663 MS C335  
LOS ALAMOS, NM 87545

CAPT. HAROLD WILLIAMS  
SPAWAR  
PD-80, 2451 CRYSTAL DRIVE  
ARLINGTON, VA 22245-5200

OFFICE OF THE SECRETARY OF DEFENSE  
DDR&E  
WASHINGTON, DC 20330

TACTEC  
BATTELLE MEMORIAL INSTITUTE  
505 KING AVENUE  
COLUMBUS, OH 43201 (FINAL REPORT)

PHILLIPS LABORATORY  
ATTN: GPE  
29 RANDOLPH ROAD  
HANSCOM AFB, MA 01731-3010

PHILLIPS LABORATORY  
ATTN: PL/SUL  
3550 ABERDEEN AVE SE  
KIRTLAND, NM 87117-5776 (2 COPIES)